

Smart Lectern SL-21

Artech Smart Digital Lecterns in the classrooms, the lecture notes can be displayed on the screen with a single click. Instructors or teachers can connect their laptops or portable devices and display the images on touch screen.

Artech Smart Digital Lectern support many features such as auditory education, video and internet connection. With the software in Artech Smart Digital Lecterns, drawing becomes very simple and at the same time, lessons can be interactively processed with many additional software.



Features;

- ✓ Original Design
- ✓ Customization
- ✓ 3 Year Warranty and Sustainable Spare Parts Supply
- ✓ High Quality Technical Service Support
- ✓ Industrial System Technologies Experience

Area of Usage



SHOPPING



HEALTHCARE



EDUCATION



SMART CITY



ENTERTAINMENT



TOURISM



www.cizgi.net



www.artech-ipc.com.tr



[cizgi-teknoloji](https://www.linkedin.com/company/cizgi-teknoloji)





Ergonomic Design



Large Touch Screen



Customization with
Corporate Color
and Logo



Vandal Resistant
Structure



Bright and High Contrast
TFT LCD Display



Smart Lectern SL-21

ORDER CODE

Cpu	: Intel i7/i5/i3/Celeron
Feed	: 220VAC
Ram	: 4GB/8GB/16GB
HDD	: 64 GB / 128GB / 256 / 512 GB SSD



SYSTEM

Cpu	: Intel i7/i5/i3/Celeron
Cache	: By CPU
Memory	: 4GB/8GB/16GB
Video Ram	: Intel HD Graphics (Shared)
Chipset	: Intel QM77
Watchdog Timer	: 255 Level Reset

INPUT/OUTPUT

Serial Port	: 4 x RS-232 Ports
Parallel Port	: 1 x Parallel Port
Usb Port	: 4 x USB 2.0, 2 x USB 3.0
LAN	: 2x RJ45
Sound	: Line in & Out (AC'97 Codec Audio)

DATA STORAGE

HDD Type	: Vibration Resistant Slot
HDD Storage	: 64 GB / 128GB / 256 / 512 GB SSD

FEED

Input	: 220VAC
-------	----------

LCD SCREEN

Size/Type	: 21" TFT LCD 16:9
Max Resolution	: 1920x1080
Pixel Pitch	: 0.08265 x 0.24795
Max Color	: 16.7 M
Brightness	: 250cd
Contrast Ratio	: 1000/1
Viewing Angle	: 178°(H),178°(V)
Back Light MTBF	: Min 30.000 Hours

VIDEO OUTPUT

Type	: HDMI/DP/DVI
Max Resolution	: 1920x1200 -2560 x 1600(DP)

ENVIRONMENTAL FEATURES

Working Temp	: 0 ~ 60°C
Storage Humidity	: 10 ~ 90% (Non-Condensing)
Case	: Heavy Duty Metal Case
Weight	: Variable According to Screen Size
Dimensions	: 610mm x 1100mm x 510mm
Mounting	: Floor Fixed



Tel:+90 216 365 82 50
Faks:+90 216 365 82 30



info@cizgi.net
www.cizgi.net



Merve Mah. Necip Fazıl Cad. No:8 34791
Sancaktepe – İstanbul